

Safety Data Sheet

SECTION 1: IDENTIFICATION

Product Identifier

Product Name: Walnut Brown Synonyms: Pigment Dispersion

Intended Use of the Product

Aqueous dispersion for coloring mulch.

Name, Address, and Telephone of the Responsible Party

Company

Florida Coastal Colors 550 Elm Street Helena, AL 35080 USA Ph: 205-664-5041 Fx: 205-664-5043

Manufacturer

Florida Coastal Colors 550 Elm Street Helena, AL 35080 USA Ph: 205-664-5041 Fx: 205-664-5043

Emergency Telephone Number

Emergency Number: ChemTel 1-800-255-3924

SECTION 2: HAZARDOUS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US) Not Classified Label Elements GHS-US Labeling Manufacturers Labels Potential Environmental Effects:

No significant environmental hazards are associated with release to the environment.

However, the color can disperse, so as a matter of good practice, do not spill into any waterway or sewer.

Recommended usage of this product is outdoors or in a well- ventilated area.

Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

| Component | CAS Number | OSHA PEL | ACGIH TLV | Weight Percent |
|---------------------|--|----------------------------|---------------------------------|----------------|
| Iron Oxide Red* | 1309-37-1 | 10 mg/m3 (iron oxide fume) | 5mg/m3 (Iron Oxide dust & fume) | 30-55% |
| Carbon Black | 1333-86-4 | 3.50 mg/m3 TWA | 3.50 mg/m3 TWA | 10-40% |
| Water | 7732-18-5 | Not Applicable | Not Applicable | >10% |
| Surfactant | 9003-11-6 | Not Applicable | Not Applicable | 1-5% |
| Proprietary Polymer | Proprietary acrylic polymer (Supplier has claimed the CAS number as proprietary) >1.0% | | | |

* Exposure levels for iron oxide are not applicable when product is in liquid form.

No reportable quantities of toxic chemical(s) subject to the reporting requirements of Section 313 of SARA Title III and of 40 CFR 372 are present

The composition of this material is a trade secret. Contains no other components or impurities, which will influence the classification with regard to human and environmental risk assessment.

SECTION 4. FIRST AID MEASURES

Emergency Overview: May cause respiratory tract, eye, and skin irritation

Eyes: Immediately flush with water

Skin: Wash skin with water and mild soap to remove carbon black

Inhalation: Short-term harmful effects are not expected. However, exposure to vapors or dust may cause coughing or wheezing when inhaled.

Ingestion: Not an intended route of exposure. Not likely to produce adverse effects.

Section 5. Fire Fighting Measures

Nonflammable aqueous pigment dispersion

| Extinguishing Media: | Water Spray to keep exposed containers cool |
|--|--|
| Special Fire Fighting Procedures: | CO_2 or foam. |
| Unusual Fire or Explosion Protection: General Hazard: Flammability Data: | N/A N/A In the unlikely event that all water is evaporated, a dust cloud may form |
| Flash Point: | Noncombustible |
| Flammability Limits: | N/A |
| Auto-ignition Temperature: | N/A NFPA Labeling: |

Section 6. Accidental Release Measures

| Spills and Le | aks: Non Hazardous. Contain the spill or leak to prevent a discharges to surface storm sewers. This material is a concentrated dye/pigment. This product is not environmentally hazardous. It will however cause discoloration of soil and storm water. Avoid soil and water contamination. |
|---------------|--|
| Clean-Up | Collect spilled material with an inert absorbent such as sand or vermiculite. |
| Procedures: | Placed in properly labeled and closed container. Dispose of collected material according to federal, state, and local regulations. |

Section 7. Handling and Storage

Handling: Avoid breathing fumes. General mechanical ventilation can be expected to effectively remove and prevent build up of any vapor or mist generated from handling this product in a closed environment. Do not freeze. Protect eyes to prevent contact. Avoid prolong or repeated exposure to skin.
Storage: Keep container dry. Keep containers sealed until ready for use.

Section 8. Exposure Control/Personal Protection

Engineering controls: General mechanical ventilation can be expected to effectively remove and prevent build up of any vapor or mist generated from handling this product in a closed environment

Personal Protection:

Eyes: Wear safety glasses with side shields. Wear additional eye protection such as chemical goggles or face shield if splashing or spraying hazard exists. Have an eye wash station available.

Body: To prevent skin contact use coveralls, apron, boots, or lab coat.

Hands: Avoid skin contact by using chemically resistant gloves.

- **Respiratory**: No respiratory protection required under normal conditions of use. Use local exhaust to control excessive vapors/mists. If excessive vapors or mists are persist use appropriate NIOSH/MSHA approved organic vapor/mist respirator.
- *Other:* Open wounds or skin surface disruptions should be covered with a chemical resistant patch to minimize absorption risks. Clean clothing should be worn daily to avoid possible long-term build up of the product leading to chronic overexposure.

| Exposure Limits: | Iron Oxide dust: | ACGIH TLV | 5 mg/m^3 | TWA |
|------------------|------------------|-----------|---------------------|-----|
| | | | 10 mg/m^3 | TWA |

Section 9. Physical and Chemical Properties

| Appearance: | Physical Star Form Color | te | Thick Liquid Liquid Brown |
|-------------------------------------|--------------------------------|--------------|---------------------------------|
| Odor | Little to no o | odor | |
| pН | | | 9-10.5 |
| Boiling Point | | | 100° C (212°F) Water |
| Flash Point | | | Noncombustible |
| Lower Explosion Limit | | | Not Applicable |
| Upper Explosion Limit | | | Not Applicable |
| Melting/Freeing Point | | | N/A |
| Solubility in Water | | | Dispersible |
| Evaporation Rate (Butyl Acetate =1) | | | <1 |
| Reacts if Expe | osed to | Light: | No |
| | | Air | No |
| Specific Gravity (Water = 1) | | 1.7-1.9 | |
| Bulk Density (lbs/gal) | | 14.1 to 15.8 | |

NOTE: The physical data presented above are typical values not specifications

Section 10. Stability and Reactivity

| Chemical Stability: This material is chemically stable under normal and storage and handling | | |
|--|--|--|
| | conditions. | |
| Corrosive: | No | |
| Incompatibility: | Long term storage in | direct contact with reactive metal such as aluminum, |
| | zinc, copper, nickel, 1 | nagnesium, etc |
| (Materials to Avoid) Other materials to avoid include strong oxidizing agents | | |
| Hazardous | When involved in a fire, burning may evolve noxious fumes which may | |
| Decomposition: | include carbon monoxide, carbon dioxide, nitrous oxides, acetic acid, or | |
| | other toxic compounds depending on the chemical composition and | |
| combustion conditions. However, all of the water must be driven off first | | |
| | for this to occur. | |
| Hazardous polymer | ization | Will not occur |
| Hazardous Decomposition Product: | | None known |

Section 11. Toxicological Information

As with all materials for which test data are limited or do not exist, caution must be exercised Through the prudent use of protective equipment and handling procedures to minimize exposure

| Chronic Toxicity: Carcinogenic Effects: Mutagenic Effects: Teratogenic Effects: Developmental Toxicity: | None known None known None known None known |
|--|--|
| Acute Effects on Humans: | May cause skin, eye, and respiratory irritation. |
| Sensitization: | Repeated or prolonged exposure to the substance at concentration above the exposure limits may cause respiratory tract and lung sensitization. |
| Carcinogenic Effects: | This material is not known to cause cancer in animals or humans. |
| Existing Medical Conditions Aggravated ast By Exposure: | May provoke asthmatic response in persons with hma who are sensitive to airway irritants |

Section 12. Ecological Information

| Ecotoxicity: | No data available, however the material is not expected to have any deleterious toxic effect. |
|----------------------------|--|
| Environmental Fate: | No data available regarding the environmental fate or biodegradation. |
| US: | Not a hazardous waste under U.S. RCRA, 40 CFR 261 |

Section 13. Disposal Considerations

For waste disposal purposes, and aqueous liquid with a pH between 2.1 and 12.4 is NOT defined or designated as hazardous by current provisions of the Federal (EPA) Resource Conservation and Recovery Act (RCRA, 40 CFR 261)

EPA Waste Number: Non-hazardous waste

Dispose of according to all federal, state, local, and provincial environmental regulations.

Section 14. Transport Information

| D.O.T. | Not regulated as dangerous goods |
|----------------------|--|
| IMO/IMDG | Not regulated as dangerous goods |
| IATA Classification: | Not regulated as dangerous goods |
| NMFTA | Classification # 194980; Sub 6; Class 55 |

Section 15. Regulatory Information

| TSCA | Toxic Substances Control Act |
|----------------------------|---|
| OSHA | |
| | This document has been prepared in accordance with MSDS |
| RCRA | This mixture and or its contents are not a hazardous waste if disposal is |
| | required |
| CERLA | Components of this mixture are not CERCLA hazardous substances |
| HAPS | This mixture does not contain any Hazardous Air Pollutants |
| ODC | This mixture does not contain any Ozone Depleting Compounds |
| TOX | This mixture does not contain any organic halogens (EPA 9020) |
| CWA (40 CFR 116) | This mixture does is not on a Clean Water Act list |
| CAA of 1990 | This mixture is not made with nor does it contain any Class 1 or Class 2 |
| | ozone depleting substances as defined under the 1990 amendments to the |
| | act |
| SARA (302) | This mixture does not contain any constituents that are identified as |
| | extremely hazardous |
| SARA (311/312) | Reportable Ingredients: None |
| SARA (313) | No reportable quantities of toxic chemical(s) subject to the reporting |
| | requirements of Section 313 of SARA Title III and of 40 CFR 372 are |
| | present |
| Regulatory Listings | 1 |
| United States | (TSCA): Listed |
| United States | (100π) . Listed |

Section 16. Other Information

HMIS Rating



Disclaimer: FLORIDA COASTAL COLORS urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is supplied under the OSHA Hazardous Communication Standard, 29 CFR 1910.1200. The information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best of Florida Coastal Color's knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, Recipient is responsible for determining whether the information is appropriate for recipient's use. Since Florida Coastal Color has no control over how this information may be ultimately used, all liability is expressly disclaimed and Florida Coastal Color assumes no liabilit